

339 4 31 53 +20 18

HP41K-1359

098-23 R
096-31 km

44.2

97-32

5133 9236] 102
8882-3433] 8

948
045
315

344
VAFWD

4 3217 +18 04

097-15-10 097-15R
108 -4 VA 101-15-10
110 -8 bay



4710 9823 98
9822-1874 3

923

088
190
1380

384

346

4 32 39 110 39

LP 475-176

97 - 6 km

108 - 6 R 103 - 6

4654

9929

10/8 103

910

8851

1161

899

103

347

4 32 4 +14 07

RA764

095-14 bar

084-9 R → 90 11

~~083-18 VA~~

~~084-13~~

47B 9786 } 90

8804-2202 } 9

Q433+1518

4 22

58

+15 24
-117 36

VA723

44
4265

~~086 - 28~~ 1478

094 - 22 (1478)

089 - 24 VA+

084 - 24

4780

9165

92 96

933

8777

2566

-621

8780

-257

0432+2283

426

103 42

5858-28

2
5202

5802

8540

8893

4873

110

10

958
073
1240

243 148

1054
237

1072

1911 1912 1913

1914 1915 1916

1176

1917 1918 1919

1920 1921 1922

1923 1924

u2m

350

4 33 00 + 13 11

VA276

150 - 20 bar 98-18

89-17 R

~~99-14 R~~

5006 926

~~107-29~~

626

650

9676

98-17

968

65

~~76~~

474 high

8814 high

Arch

349

4 8256 + 19 4

FP415-1574

90-86 R
 107-45 Long
95-40

950
 024

✓ R1R
 312

5000 9287 106
 1926

100-
 ✓ 5468
 1000

3479

357

4 33 44 + 18 31

LP415-1619

~~105 + 2 down~~

114 - 38 R

94 - 37 temp

104 - 38

946

4624

9328

111

013

8648 - 3479

-1

-325

918-

91-

938

90-32-47

93
96
98

978
970
972
974

86-38
98-32
99-31
Kendall
Lynch

953
948
90-32

9488-16-26
11630

351

1945-1582

4 33 09

41847

94-47 Spindler

151

92-21 R

92-22 Imp

91-15

4504 [9247
96 [9256
9258
9259

364

4 34 26 +14 16

LPK-2144

98-30 R

91-24 long
94-30

4634

9875

99

8698

9668

99

364

4

34 08

+20 37

Reading

71 -30 bpa

83 -33 1P

~~78 -35 bpa~~
~~80 -34~~

77 -32

~~450 -3510 817~~
~~8643 -3574 24~~

5054 9154] 83
8624 4025] 2

~~11 CAT~~

~~0433-70525~~

0434-40357

Le 117

94 68

0
68
69605
1665
495h
9498 I-20

98:0

612
512
100

371

LP415-204

4 34 89 + 12 40

100-23 R

96 - 14 buy

98 - 15

9889 9886 99

8944 2462 12

364

HP 475-1419

4 84 28 +11 13

98 - 7 1W

~~89 - 72 R~~

5.5h
4.5h

max [2801 - 2188
9155
K5 85
917

917

2560

858

043572519

09-58

014858410

5374 8609 7117
5423 8805
6098 6185

326

4 35 19 +15-43

2P415-1642

4#6	107-24	R
4#0	107-29	Imp
344	107-26	
	101	938

4784	9579	1134	-33
	6156	6	-344
9806-3064			

4908-1088

0435 40475

LP535-101

3804

99

2

Lyto

4527 9963 } 99

876

8916 0858 } -6

Lhr

0935 10434

Jan 11

4/17

88 11

886 11 Larkin

4530 9957 } 84

8414 0424 } 3

878

184

444

379 4 35 31 +17 26

02115] ~~430~~
426

number 83 098-27 R

$\frac{454-37}{94-32}$ Long 945

4776 5441] 99

8785 3296] 0
9868
-1024
-326

328

LPY15-283

4 35 29 +15 34

587-024R

$\frac{095-032 \text{ long}}{091 \quad 033}$

~~9549~~

629h

97

93227

~~8952~~
8782

2

8198

377 19.6 4 35 23 +11 X3

19475-214

94 27 14

919
-088

831

86-12 R

98-9

1947 9-27 91
1948 9-10 91
1949 9-16 91

1950 9-20 91
1951 9-24 91
1952 9-28 91

1953